

CA COPYRIGHT 2000 ACS

AN ***124:79455*** CA

TI Herbicide compositions containing 3-substituted phenylpyrazoles, organophosphorus compounds, and nonionic surfactants

IN Yasueda, Masahiro; Higashimura, Minoru; Nakatani, Motokatsu; Mabuchi, Tsutomu; Shibayama, Shoichi

PA Nihon Nohyaku Co Ltd, Japan

SO Jpn. Kokai Tokkyo Koho, 11 pp.

CODEN: JKXXAF

DT Patent

LA Japanese

IC ICM A01N043-56

ICS A01N025-30

ICI A01N043-56, A01N057-18

CC 5-3 (Agrochemical Bioregulators)

FAN.CNT 1

P.D.	00/00/00	3
p.	1/3	

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	JP 07242510 ✓	A2	19950919	JP 1995-19653	19950112
PRAI	JP 1994-14782		19940113		
OS	MARPAT 124:79455				
GI	Diagram(s) available in offline prints and/or printed CA Issue.				
AB	<p>Herbicide comps. contain .gtoreq.1 of 3-substituted phenylpyrazoles I [R = Y1R3 [R3 = C1-6 (halo)alkyl, C2-6 alkenyl, C2-6 alkynyl; Y1 = O, S], Y2CHR4CO2R5 [R4 = H, C1-6 alkyl; R5 = H, C1-6 (halo)alkyl, C2-6 alkenyl, C2-6 alkynyl; Y2 = O, S, NH], CO2CHR4COY1R5 (R4, R5, Y1 = same as above), CO2R6 (R6 = C1-6 alkyl, C2-6 alkenyl, C2-6 alkynyl); R1 = C1-6 alkyl; R2 = H, C1-6 (halo)alkyl; X1, X2 = halo; Y = O, S, SO, SO2; n = 0, 1] and organophosphorus herbicides as active ingredients and .gtoreq.1 nonionic surfactants. The comps. are stable and show fast-acting and synergistic herbicidal effect. I (R = OCH2CO2Et, R1 = Me, R2 = CHF2, X1 = F, X2 = Cl, Yn = O) (II) 25.0, Neocol YSK (anionic surfactant) 1.0, SP-7290P (anionic surfactant) 2.0, aq. 3% xanthan gum soln. 15.0, propylene glycol 3.0, Silicone KM-73 0.5, and H2O to 100 wt. parts were mixed to give a suspension, 0.80 wt. parts of which was mixed with N-(phosphonomethyl)glycine trimethylsulfonium salt (III) 51.70, Neocol YSK 1.00, Dispersogen A-1494 2.00, Brian DL-400 (polyoxyethylene glycol dilaurate surfactant) (IV) 10.00, aq. 3% xanthan gum soln. 10.00, propylene glycol 5.00, benzisothiazole 0.05, and H2O to 100.00 wt. parts to give a suspension. Spray application of the suspension at 1 g/ha as II and 150 g/ha as III controlled Echinochloa crus-galli and Rumex japonicus by 60% and 50%, resp., in 3 days, vs. 30% each, for application of a control formulated without IV. The suspension was kept at 50.degree. for 4 wk to show 95.7% residual II and 99.7% residual III, vs. 27.6% and 93.0%, resp., for a control formulated without IV.</p>				
ST	phenylpyrazole organophosphorus herbicide nonionic surfactant; synergism phenylpyrazole organophosphorus herbicide suspension				
IT	Polyoxyalkylenes, biological studies				
	RL: AGR (Agricultural use); MOA (Modifier or additive use); BIOL (Biological study); USES (Uses) (surfactants; stable and fast-acting synergistic herbicides contg. substituted phenylpyrazoles, organophosphorus herbicides, and nonionic surfactants)				
IT	Amides, biological studies				
	RL: AGR (Agricultural use); MOA (Modifier or additive use); BIOL (Biological study); USES (Uses) (N-(hydroxyethyl), ethoxylated, stable and fast-acting synergistic herbicides contg. substituted phenylpyrazoles, organophosphorus herbicides, and nonionic surfactants)				
IT	Glycosides				

RL: AGR (Agricultural use); MOA (Modifier or additive use); BIOL (Biological study); USES (Uses)
 (alkyl, surfactants; stable and fast-acting synergistic herbicides contg. substituted phenylpyrazoles, organophosphorus herbicides, and nonionic surfactants)

IT Fatty acids, biological studies
 RL: AGR (Agricultural use); MOA (Modifier or additive use); BIOL (Biological study); USES (Uses)
 (esters, surfactants; stable and fast-acting synergistic herbicides contg. substituted phenylpyrazoles, organophosphorus herbicides, and nonionic surfactants)

IT Amines, biological studies
 RL: AGR (Agricultural use); MOA (Modifier or additive use); BIOL (Biological study); USES (Uses)
 (ethoxylated, stable and fast-acting synergistic herbicides contg. substituted phenylpyrazoles, organophosphorus herbicides, and nonionic surfactants)

IT Alcohols, biological studies
 RL: AGR (Agricultural use); MOA (Modifier or additive use); BIOL (Biological study); USES (Uses)
 (ethoxylated, surfactants; stable and fast-acting synergistic herbicides contg. substituted phenylpyrazoles, organophosphorus herbicides, and nonionic surfactants)

IT Surfactants
 (nonionic, stable and fast-acting synergistic herbicides contg. substituted phenylpyrazoles, organophosphorus herbicides, and nonionic surfactants)

IT Alcohols, biological studies
 RL: AGR (Agricultural use); MOA (Modifier or additive use); BIOL (Biological study); USES (Uses)
 (polyhydric, surfactants; stable and fast-acting synergistic herbicides contg. substituted phenylpyrazoles, organophosphorus herbicides, and nonionic surfactants)

IT Agrochemical formulations
 (powders, wettable, stable and fast-acting synergistic herbicides contg. substituted phenylpyrazoles, organophosphorus herbicides, and nonionic surfactants)

IT Agrochemical formulations
 (suspensions, stable and fast-acting synergistic herbicides contg. substituted phenylpyrazoles, organophosphorus herbicides, and nonionic surfactants)

IT Herbicides
 (synergistic, stable and fast-acting synergistic herbicides contg. substituted phenylpyrazoles, organophosphorus herbicides, and nonionic surfactants)

IT 9005-02-1
 RL: AGR (Agricultural use); MOA (Modifier or additive use); BIOL (Biological study); USES (Uses)
 (Brian DL 400; stable and fast-acting synergistic herbicides contg. substituted phenylpyrazoles, organophosphorus herbicides, and nonionic surfactants)

IT 9016-45-9, Polyoxyethylene nonylphenol ether
 RL: AGR (Agricultural use); MOA (Modifier or additive use); BIOL (Biological study); USES (Uses)
 (Soprophor BS 10; stable and fast-acting synergistic herbicides contg. substituted phenylpyrazoles, organophosphorus herbicides, and nonionic surfactants)

IT 56-81-5, Glycerol, biological studies 12441-09-7, Sorbitan
 RL: AGR (Agricultural use); MOA (Modifier or additive use); BIOL (Biological study); USES (Uses)

(fatty acid esters; stable and fast-acting synergistic herbicides
contg. substituted phenylpyrazoles, organophosphorus herbicides, and
nonionic surfactants)

IT 1071-83-6D, N-(Phosphonomethyl)glycine, mixts. with phenylpyrazoles
35597-43-4D, mixts. with phenylpyrazoles 53369-07-6D, mixts. with
phenylpyrazoles 171667-10-0

RL: AGR (Agricultural use); BAC (Biological activity or effector, except
adverse); BIOL (Biological study); USES (Uses)

(stable and fast-acting synergistic herbicides contg. substituted
phenylpyrazoles, organophosphorus herbicides, and nonionic surfactants)

IT 50-70-4D, Sorbitol, fatty acid esters 57-50-1D, Sucrose, fatty acid
esters 1338-39-2, Span 20 9002-92-0, Noigen ET 143 9005-66-7, Tween
40 25618-55-7D, Polyglycerin, fatty acid esters 104552-09-2,
Polyoxyethylene styrylphenyl ether 106392-12-5, HOE-S 3510
172344-91-1, HOE-S 2436

RL: AGR (Agricultural use); MOA (Modifier or additive use); BIOL
(Biological study); USES (Uses)

(stable and fast-acting synergistic herbicides contg. substituted
phenylpyrazoles, organophosphorus herbicides, and nonionic surfactants)

THIS PAGE BLANK (USPTO)